

Product Specification

Design: 'Fairway'

Design

Fairway is a true benching system offering flexibility with no interruption of linear space. It is a dramatic design equipped with a variety of accessories to enhance its practicality and flexibility. It is a classically clean and contemporary solution to the problem facing some of today's working environment requirements.

Features

The Fairway range has a variety of accessories designed to enhance its practicality and flexibility. These include comprehensive wire management, modesty panels, glazed or fabric covered screens and half screens, and continuous aluminium tool rails.

Clutter free framework and clean lines encourage team working and accessibility and accommodate change without the need to reconfigure entire furniture arrangements.

Applications

Ideal for offices where space is a premium, it provides the opportunity to accommodate task workers adjacent to each other e.g. Trading Houses, Banks, Call Centres and for hot desking etc.

Finishes

Fairway can be finished in an array of MFC's and veneers – see the full list below, with corresponding codes and complementary metalwork finish.

Code Title

AT	Autumn MFC
EO	English Oak MFC
MP	Maple MFC
BH	Beech MFC
WH	White MFC
HD	Highland Oak MFC
RO	Reformed Oak
RN	Reformed Natural Cherry
RP	Reformed Maple
RW	Reformed Walnut
RB	Reformed Beech

Top/Fronts

Autumn MFC
English Oak MFC
Maple MFC
Beech MFC
White MFC
Highland Oak MFC
Reformed Veneer – Light Oak
Reformed Veneer – Natural Cherry
Reformed Veneer – Maple
Reformed Veneer – Walnut
Reformed Veneer – Beech

Metalwork

Silver RAL 9006
Silver RAL 9006
Silver RAL 9006
Silver RAL 9006
Silver RAL 9006
Silver RAL 9006
Silver RAL 9006
Silver RAL 9006
Silver RAL 9006
Silver RAL 9006
Silver RAL 9006

Fabrics

Class A:	Interface – Cara
Class B:	Interface – Lucia, Astra, Screen
Class C:	Interface – Streetwise, Metallation
Class D:	Fabric details on application

Glazed Screen Colours

OB	Opaque Blue
OC	Opaque Crystal
OG	Opaque Green
OW	Opaque White

Beam

- Welded tubular steel construction
- Provides lateral strength to the worksurface



Beam

Legs

- Rectangular welded tubular, goal post construction.
- Integral floating steel pods, connect the desk top to the under structure
- Unhanded up until the point of on-site installation
- Reduced width mid-leg to give freedom of movement along the full length of the structure
- Levelling feet
- 730mm nominal height
- Allows fixing point for desk over screens



Double End Leg




Double Mid Leg




Single End Leg




Single Mid Leg



Double Infill Panel




Single Infill Panel






Double Mid Leg Support

Tiles/ Screen posts


- Lightweight honeycombed board construction (fabric covered)
- 2 tile heights – 360mm (tile) & 200mm (infill screen)
- Slides into posts – no tools required
- Pinnable
- Glazing options available




Fabric Screen

Glazed Infill -
Double BenchGlazed Infill -
Single Bench

Fabric Tile



Glazed Tile - Double



Glazed Tile - Single

Glazed Dividing
ScreenMulti-positioned Glazed
Dividing Screen

Screen Posts

- Aluminium extrusion
- 2 post types, end and mid



Screen End Pair –
Double Bench




Screen Mid Posts –
Double Bench



Screen End Pair –
Single Bench




Screen Mid Posts –
Single Bench



Brace - Single Bench

Tool Rail

- Highly rigid aluminium extrusion
- Slots into screen posts
- Used standalone or in conjunction with fabric or glazed infill tiles
- Carries monitor arms and screen accessories



Tool Rail



Tool Rail Fixed Monitor Arm

Add on Cable Management

HORIZONTAL

- Optional high capacity pressed steel cable management
- 3 way data/power segregation



Horizontal Cable Tray



Desk Hung Cable Tray



Brace Hung Cable Tray

VERTICAL

- Pressed steel with 3 way separation and integral cable cover
- Single or double width



Single Cable Riser



Double Cable Riser

Worksurfaces

- Finishes – MFC (2mm edging) & veneered MDF (profiled front edge)
- 25mm thick
- Square corners all round
- Scalloped cable access included

Rectangular
780d 25hRectangular
880d 25h

Accessories

- Assorted accessory trays can be hung from tile or tool rail
- Universal shelf, box, tray and mat

British Standards

Fairway is certified to the following standards

BS4875	Part 5, 2001	Strength and stability of office furniture
BSEN527	Part 1, 2000	Office furniture desk and table dimensions
BSEN527	Part 2, 2002	Office furniture desk and table mechanical safety requirements
BSEN527	Part 3, 2003	Office furniture desk and table methods to test for the determination of strength and stability
BS6396	2008	Electrical systems in office furniture and screens
BSEN9241	Part 5, 1999	Ergonomics of design and use of visual display terminals (VDT's) in offices